


ALPHAPARTS

THE BEACON BOOK

Beacons and safety product range



CALL OUR TEAM ON 01206 585439 TODAY TO DISCUSS YOUR REQUIREMENTS



ATE BEACONS AND SAFETY

Our range of beacons and safety products have been specially developed for work vehicles and construction plant. With everything from LED beacons right through to ergonomic ratchet straps, we have the products you need to ensure your visibility and safety on the road. We also stock a range of R65-approved beacons to help ensure you are highway compliant.

Our team are available to offer a helping hand when selecting the right products for your vehicle or construction plant machinery. Contact our team today on **01206 585439** to discuss your needs.

WE ARE ON-HAND TO HELP

PARTSCHAT

Discuss your requirements online.

DELIVERY24

Place orders before 4:30pm for next working day delivery*.

PARTSFINDER

Use PartsFinder to locate the right part on time, every time.

TRADEACCOUNT

Set up your FREE trade account to receive trade discounts.



*Next working day delivery is guaranteed for UK mainland customers only and on orders placed before 4:30pm.

CONTENTS

LED Beacons	4
Seat Belt Indicators and Beacon Spares	6
The Dual Beacon	7
Surface-Mounted Beacons	8
Lightbars	10
Electrical Tester	11
Worklamps	12
Reverse Alarms and Camera Systems	13
About ATE	15

LED BEACONS

12/24V LED Pole Mount

- 60 SMDs
- 3 selectable flash patterns
- DC 12-24 V
- ECE R10 approved
- IP66 dust & water protection
- -30°C to +50°C temperature range
- Reverse polarity protection

Colour	Code
Amber	30.3023
Green	30.3023-G
Purple	30.3023-P



12/24V LED Flexi Pole Mount

- 60 SMDs
- 3 selectable flash patterns
- DC 12-24 V
- ECE R10 approved
- IP66 dust & water protection
- -30°C to +50°C temperature range
- Reverse polarity protection

Colour	Code
Amber	30.3024
Green	30.3024-G
Purple	30.3024-P



12/24V Single Bolt (M10)

- 60 SMDs
- 3 selectable flash patterns
- DC 12-24 V
- ECE R10 approved
- IP66 dust & water protection
- -30°C to +50°C temperature range
- Reverse polarity protection

Colour	Code
Amber	30.3025
Green	30.3025-G
Purple	30.3025-P



12/24V LED Magnetic/3 Bolt

- 60 SMDs
- 3 selectable flash patterns
- DC 12-24 V
- ECE R10 approved
- IP66 dust & water protection
- -30°C to +50°C temperature range
- Reverse polarity protection
- Complete with cigar plug & cable

Colour	Code
Amber	30.3026
Green	30.3026-G
Purple	30.3026-P



MAGNET TESTED TO 70 MPH!

Battery Magnetic (batteries not incl.)

- 16 SMDs with magnetic base
- 2 selectable flash patterns
- ECE R10 approved
- IP66 dust & water protection
- 4 size AA batteries (not included)
- Operation time 260-300 hours
- Photocell options to use beacon - automatically turn off/on during day or night

Colour	Code
Amber	30.3044



LED Beacon Lens

- Replacement lens for the Proline® LED Beacons
- Polycarbonate
- Full screw-on thread for effective watertight connection
- Type-specific LED

Colour	Code
Amber	30.2019
Green	30.2018
Purple	30.2021



THE BEACON BOOK

Find us on www.ate-uk.com

LED BEACONS

12/24V LED Magnetic/3 Bolt

- Low-profile
- Dual-voltage 12/24 V
- 3 flash patterns
- 18 SMDs
- IP66
- Magnetic mounting
- ECE R10 approved
- -30°C to +60°C temperature range

Colour	Code
Amber	30.3045
Green	30.3045-G



12/24V LED Flexi Pole Mount

- Low-profile
- Dual-voltage 12/24 V
- 1 flash pattern
- 18 SMDs
- IP66
- Flexi din mounting
- ECE R10 approved
- -30°C to +60°C temperature range

Colour	Code
Amber	30.3046
Green	30.3046-G



Warrior Magnetic Low-Profile Beacon

- High quality beacon, withstands well against all types of weather
- Smaller than standard beacon
- To be paired with adaptor lead for the magnetic mount beacon
- Magnetic

Colour	Code
Warrior Beacon	30.3045-W
Adaptor Lead	30.2020



Mini Xenon Forklift Beacon

- High quality beacon, withstands well against all types of weather
- Mini sized beacon

Colour	Code
Amber	30.3053



12/24V 3-Bolt Amber LED

- 16 high-intensity 3 W LEDs
- 11 flash patterns
- 80/65 fpm (flashes per minute)
- Polycarbonate lens
- 3-bolt mount

Code
30.3009



12/24V Amber Vigi LED with Bracket

- Dual-voltage 12/24 V (10-20 VDC)
- High-brightness 100,000 hour rated LEDs
- Beacons may be connected together for synchronous or alternate flash patterns
- IP67 rated with ultra-low power consumption
- Polycarbonate lens and base

Code
30.3010



LED BEACONS

Seat Belt Indicator Kits

- Two-point locking seat belt for construction plant machinery
- If using a beacon, it indicates when a seat belt is being worn
- Complete with anti-cinch feature to eliminate over-tightening
- Available separately or as a kit (see list)



Seat Belt Indicator without Beacon (Flexible Receiver)

Code
40.4038-WB



Description	Code
Seat Belt Indicator Kit without Beacon (Fixed Receiver)	40.4024-WB
Seat Belt Indicator - Mag Mount/3-Bolt LED Beacon	40.4024MAL
Seat Belt Indicator - Pole Mount LED Beacon	40.4024MAL
Seat Belt Indicator - Single-Bolt LED Beacon	40.4024SBL
Seat Belt Indicator - Flexi Pole Mount LED Beacon with Flexible Receiver	40.4024FPL-FR
Seat Belt Indicator - Single-Bolt LED Beacon with Flexible Receiver	40.4024SBL-FR
Seat Belt Indicator - Single-Bolt LED Beacon with Relay	40.4024SBL-R
Seat Belt Indicator - Flexi Pole LED Beacon with Relay	40.4024FPL-R
Seat Belt Indicator - Flexi Pole LED Beacon with Screw Din Pole Bracket	40.4024FPL-B

Beacon Parts and Spares

We have a wide range of parts and spares specifically for your beacon. Our dedicated team are on hand to help you choose the right part for your beacon, alternatively use our PartsFinder on our website to help aid your choice.

Fold-Down Fixing Bracket for Din Pole

Code
30.2009



Screw Fixing Bracket for Din Pole

Code
30.2004



Welded Fixing Bracket for Din Pole

Code
30.2007



Side Fixing Bracket for Din Pole

Code
30.2008



Straight Fixing Bracket for Din Pole

Code
30.2006



Din Socket for Universal Plug

Code
30.2012



0.6-3m Extension Cable

Code
30.2005



Battery Adapter

Code
30.2010



Universal Plug

Code
30.2011



ONE BEACON
TWO COLOURS
EIGHT FLASH PATTERNS

Single Bolt Mount

Flexi Pole Mount

Magnetic Mount

The Combination Beacon

Our Proline® Dual Beacon removes the need for two separate beacons by combining them together in a cost-effective and compact design.

Dual Beacon with Bolt	30.3051
Dual Beacon with Flexi Pole	30.3050
Dual Beacon with Magnet	30.3052


Features:

- DC 9-30 V
- Inside top: amber/inside bottom: green
- Outer lens is clear
- IP rating: IP66
- ECE R10
- Flash pattern: eight flash

Place your order today by calling our team on 01206 585439 or email us at sales@ate-uk.com

360° VISIBILITY AT ALL TIMES

LED Corner Strobe



30.3047

LIGHTING EVERY CORNER

Proline® LED corner beacon is compliant for highway use and easy to install on vehicles with roof racks, to replace traditional beacons. Using all four lights provides 360° warning coverage.

Proline® LED corner strobe

30.3047

Features:

- -30°C to +60°C temperature range
- 26 selectable flash patterns
- Surface or bracket mounting
- Dual-voltage 12/24 V
- Max power: 14 W
- ECE R65/R10
- 12 LEDs
- IP67

Place your order today by calling our team on **01206 585439** or email us at sales@ate-uk.com

Find us on www.ate-uk.com

SURFACE MOUNTED BEACONS

12/24V Surface-Mounted LED

- 3x3 W LEDs
- 14 selectable flash patterns
- DC 12-24 V
- ECE R10 approved
- IP67 dust & water protection
- -30°C to +50°C temperature range

Code

30.3019



12/24V LED Single Bolt/Magnetic

- 24x1 W LEDs
- DC 12-24 V
- 8 flash patterns
- ECE R10 approved
- IP65 protection standards
- Alternative bolt fixing
- -30°C to +50°C temperature range

Code

30.3021



12/24V Surface-Mounted LED

- An LED surface-mounted beacon that is dual-voltage
- 20 high-intensity LEDs
- 15 flash patterns
- Synchronisation capability

Code

30.3002



12/24V Surface-Mounted LED

- 4x3 W LEDs
- 14 selectable flash patterns
- DC 12-24 V
- ECE R10 approved
- ECE R65 approved
- IP67 dust & water protection
- -30°C to +50°C temperature range

Code

30.3036




12/24V R65 LED Surface-Mounted

- A dual-voltage R65 LED amber surface-mounted beacon
- 9 flash patterns
- 3 LEDs
- IP67

Code

30.3035



PARTSCHAT

**CAN'T FIND THE RIGHT PART?
SPEAK TO OUR EXPERTS ONLINE**


Call our team today on **01206 585439** for more information

LED AND ROTATING LIGHTBARS

Warrior 600mm LED Light Bar

NEW

- 600 mm LED light bar
- Bolt fixing



Code

30.3054

LED High-Intensity Mini Light Bar

- DC 12/24 V
- 44 x 1 W high-intensity LEDs
- 26 flash patterns
- R10 approved
- IP65 approved
- -30°C to +50°C temperature range
- Comes with cigar plug and curly lead



Code

30.3029

R65 LED 2-Bolt Mini Light Bar

- DC 12/24 V
- 30 x 3 W LEDs
- 26 flash patterns
- R65 approved
- R10 approved
- IP65 protection standards
- -30°C to +50°C temperature range



Code

30.3042

1140mm Low-Profile LED Light Bar

- 12/24 V
- 18 x 4 high-powered 1 W LED modules
- 4-bolt fixing option
- Current draw at 12 V is 3 A
- 8 selectable flash patterns
- E-mark approved
- 86 x 94 x 1140 mm



Code

30.3018

Amber LED 600mm Low-Profile Light Bar

- 12/24 V
- 56 x 3 W LEDs
- 26 flash patterns
- R65 approved
- R10 approved
- IP65 protection standards
- Magnetic base
- Comes with cigar plug and cable



Code

30.3016

R65 LED Magnetic Mini Light Bar

- DC 12/24 V
- 30 x 3 W LEDs
- 26 flash patterns
- R65 approved
- R10 approved
- IP65 protection standards
- -30°C to +50°C temperature range



Code

30.3041

*Next working day delivery is guaranteed for UK mainland customers only and on orders placed before 4:30pm

ELECTRICAL TESTER

Find us on www.ate-uk.com

Proline® Electrical Tester

Compatible with both 7 and 13 Pin connectors and with a reverse light check, the Proline® Trailer Light Tester makes it easy for you to test your lights with just one touch to start the sequence - and with just one person! Complete with adapter and charger, the unit boasts an auto shut-off and now comes with an earth terminal and automatic reset.

- Compatible with both 7 & 13 pin connectors
- Reverse light check
- One-touch sequence test/single check
- Comes with charger and adapter
- Built-in battery complete with low battery indicator
- Turns off automatically
- Earth terminal & automatic reset

Code

26.4011




ONE-TOUCH
SEQUENCE
TEST/SINGLE
CHECK



PARTSFINDER

**OUR ONLINE SEARCH TOOL HERE
TO HELP YOU FIND THE RIGHT PART**



LED WORKLAMPS

LED Worklamp with Mounting Bracket

- 12/24 V
- 8 x 3 W LEDs
- Epistar LED chips and flood beam
- 1200 effective lumens
- ECE R10 approved
- IP67 protection standards
- DC 10-30 V
- Strong diecast aluminium housing



Code

27.9025

LED Worklamp with Magnetic Base

- 12/24 V
- 5 x 3 W LEDs
- 2 light levels and strobe feature
- Strong diecast aluminium housing
- 1080 effective lumens
- ECE R10 approved
- IP67 protection standards
- Comes with mains and car charger



Code

27.9032

LED Floodlamp with Mounting Bracket

- 12/24 V
- 5 x 3 W LEDs
- Effective lumen: 800 LM
- ECE R10 approved
- IP67 protection standards
- Strong diecast aluminium housing
- Flood beam



Code

37.9031

LED Floodlamp with Mounting Bracket

- 12/24 V
- 9 x 3 W LEDs
- DC 10-30 V
- Epistar LED chips and flood beam
- Strong diecast aluminium housing
- 1400 effective lumens
- ECE R10 approved
- IP67 protection standards



Code

27.9028

LED Rubber Handlamp with Hook (chargeable)

- Super bright COB handlamp
- 3 W COB 270-360 lumens (plus 5 LEDs in the head)
- Adaptor DC 12 V and AC 230 V
- 3-4 hours running time
- Flexible 180° with two hooks and three magnets



Code

38.0023

 **TRADE ACCOUNT**
Want access to exclusive trade discount? Sign up for FREE

REVERSE ALARMS & CAMERA SYSTEMS

Proline® Medium Duty Reverse Alarm

- -30°C to +50°C temperature range
- Fully weatherproof and pressure washable
- Multi-voltage 12-80 V DC
- 92-107 dB sound level
- Reverse polarity protected
- Nylon housing



Code

40.4020

Reverse Alarm

- Dual-voltage 12/24 V
- Wire connector
- SAE Type C approved
- R10 approved
- IP65 approved
- Nylon housing
- 97 dB sound level



Code

40.4009

20 M
EXTENSION
CABLE
INCLUDED



Full Reversing Camera Systems

This reversing camera system delivers excellent picture quality even in low light. The compact monitor includes a sunshade, remote control and allows for unobtrusive installation without compromising viewable screen area.

- 7" digital TFT monitor with aspect ratio 16:9 image
- Contrast ratio: 300:1 and brightness: < 250 cd/m²
- Automatic light sensor adjustment
- Multi-language display, OSD menu, remote control
- Power supply: DC 12/24 V
- Monitor and camera sunshade visors with monitor stand bracket
- 4-pin connector for rear-view camera
- Night vision: minimum illumination 0.01 lux

Description	Code
Full reversing camera system	40.4037
20 m cable to suit	40.4066
Camera to suit	40.4065
Monitor to suit	40.4064

20 M CABLE
TO SUIT



CAMERA
TO SUIT



MONITOR
TO SUIT



REVERSE ALARMS & CAMERA SYSTEMS

4 X 20 M
EXTENSION
CABLE
INCLUDED




Quad Reversing Camera Systems

Comprising of a feature-packed 7" LCD high-resolution colour monitor with internal controller and infrared colour cameras, this package enables continuous event and accident monitoring with a quad-view screen. The set includes monitor & camera sunshades, remote control and 4 waterproof night vision cameras.

- Full-screen image, two image and four image options with built-in speaker
- Four-way video input, one-way audio input
- Automatic light sensor adjustment & multi-language display
- Power supply: DC 9-24 V
- Monitor stand bracket & 4-pin camera connectors
- Reference point and time control for reverse gear settings
- Image sensor: Sony CCD

Description	Code
Quad reversing camera system	40.4062
20 m cable to suit	40.4066
Camera to suit	40.4065



IN A RUSH? ORDER ONLINE TODAY GET IT DELIVERED NEXT WORKING DAY*

*For UK mainland customers only and on orders placed before 4:30pm.



Email us on sales@ate-uk.com to talk to the team

Find us on www.ate-uk.com

MORE THAN JUST GREAT PARTS

With ATE UK, great prices are just the beginning. Our expansive selection of brands and products sit alongside a range of services designed to enhance our product offering to guarantee results for every situation.

With over 28 years of experience supporting companies like yours, we really understand what issues you face and the challenges you want to overcome. We've built our product ranges and service offerings around providing you with the most comprehensive range of parts available for your trailer and towing equipment fleet.



Our clients

The companies below are just a small sample of the organisations that see the benefits of working with ATE UK. Call us to discover why these businesses and many others choose to purchase parts and equipment for trailers, towing equipment and vehicle fleets from ATE UK.



Our team of experts on-hand to help provide solutions to your challenges

- Poor levels of product availability and slow delivery preventing you from getting your trailers and towing equipment back on the road.
- Lack of expertise and knowledge in supplier staff prohibiting you in quickly identifying and ordering the part you need.
- Poor customer support and communication when issues or delays arise.
- Over-promise and under delivering of stock and discounts.

Get the right part you need, on-time, every time. We are ready to get you back on track.



SCAN TO SEE THE FULL RANGE ONLINE TODAY

Our team are poised and ready to help. Get in touch with your enquiries and browse our range online at ate-uk.com.

Call our team today on **01206 585439** for more information

15



T: 01206 589439 E: sales@ate-uk.com www.ate-uk.com

ATE (UK) Ltd, Anglia House, Haven Road, Colchester, Essex CO2 8HT